Fast Facts:


DNR Lake ID: 13-0053-00

County: Chisago

Surface Area: 218 acres

Littoral Area (depths less than 15 feet): 90 acres

Maximum Depth: 47 feet Shore Length: 3.24 miles




2021 Surface Water Quality Summary

Nutrients:

June-Sept. Average Total Phosphorus (TP, μg/L)

20.1 μg/L



Algae:

June-Sept. Average Chlorophyll-a (Chl-a, µg/L)

4.3 μg/L




Clarity:

June-Sept. Average Secchi Depth (Secchi, ft)

8.5 feet





State standard are shown with a dashed red line. Phosphorus = $40 \mu g/L$, Chlorophyll-a = $14 \mu g/L$, Secchi Depth = 4.6 feet. Sample points are shown in black dots. Points above the line are worse than the State standard. Points below the line are better than the State standard.

Historical Water Quality Summary

	Phosphorus (μg/L)	Chl-a (μg/L)	Secchi (feet)
State Standard	< 40	< 14	> 4.6
10-year Average (2012-2021)	30.5	14.4	5.4
2031 District Goal	< 30	n/a	> 7.0
5-year Average (2017-2021)	30.9	12.3	6.3

Nutrients:

June-Sept. Average Total Phosphorus (ΤΡ, μg/L)




Algae: June-Sept. Average Chlorophyll-a (Chl-a, µg/L)




Clarity: June-Sept. Average Secchi Depth (Secchi, ft)






State standard are shown as the boundary between green and light blue. (Phosphorus = $40 \mu g/L$, Chlorophylla = $14 \mu g/L$, Secchi Depth = 4.6 feet. Growing season averages are shown as black points. Points in the green area are above the state standard. Points in the light blue area are better than the State standard.




2021 Lake Levels

Lake levels ranged over a total of 0.45 feet; between a minimum of 885.55 feet on September 7, 2021 and a maximum of 886 feet on April 22, 2021.



2021 Temperature Profiles

The lake was stratified from early Mat until through October.



2021 Dissolved Oxygen Profiles

The lightest blue represents the duration and depths where no oxygen is present and sediment phosphorus can be released and contribute to internal loading.

Internal loading was possible throughout the growing season.

Bottom P concentrations increased to high levels by September and may have impacted surface water quality.